

# SDC-425P

Home | Security | Cameras | Boxed

SDC-425P

1/3" Day&Night Camera, SSNR II, HLC, DIS, 580TVL,

12VDC/24VAC

Art-Nr. 97022



Lens is not included

## Main Features

1/3" Super HAD color CCD

W-IV Winner DSP engine

SSNR II, Upgraded 3D Noise Reduction technology

Day & Night capability for 24/7 operation

High resolution of 580TV lines

Min. illumination of 0.05Lux@F1.2 (Color)

Privacy masking with 8 user programmable zones

HLC (Highlight Compensation)

DIS (Digital Image Stabilization)

Motion Detection

Multi-language OSD

S/N ratio of 52dB

## Specifications

System	Day&Night
Sensor size	1/3"
Imager	CCD
Horizontal resolution	580 TVL
Sensitivity (at 50% video signal)	0,05 Lux, at F1.2 (colour); 0.0002 Lux at F1.2 (B&W)
Low Speed Shutter	yes
Digital Noise Reduction (DNR)	yes
Backlight compensation	BLC, HLC
Wide Dynamic Range (WDR)	no
IR cut filter	OLPF (Overlay Low Pass Filter)
Digital Zoom	2x ~10x

# SDC-425P

(Continuation Spezifications)

<b>Lens mount</b>	CS/C
<b>Video outputs</b>	Composite (CVBS)
<b>Serial interfaces</b>	no
<b>Supply voltage</b>	24VAC, 12VDC
<b>Certificates</b>	CE

## Optional accessories

120063	STB-4150V	Wall Mount Camera Bracket, indoors
--------	-----------	------------------------------------

